



AN ENVIRONMENTAL CONCERN

FOR A GREENER FUTURE

The negative impacts that human beings provoke on nature are becoming more and more evident. Now more than ever, in this period of the new coronavirus pandemic, it is important to create sustainable practices.

safe&care

MASK

SOCIAL USE REUSABLE 10 WASHES LEVEL 2

Textile masks for use by individuals in the context of their professional activity or in authorized exits during periods of confinement, particularly in indoor spaces with multiple persons.

Important note!

Textile masks of level 2 and level 3 are not to be used as medical or personal protective equipment.

Name of manufacturer: VIEIRA POCARGIL SA

Address: Zona Industrial de S.Martinho do Campo, 4830-102 Povoa Lanhoso

Commercial brand or code/Ref.^a: PMTNT10 #SAFE&CARE Lot n°. | Month | Year of manufacture: LOT1 /MAY 2020

Composition of raw-materials: 100% Hydrophobic Homopolymer Polypropylene

Size identification (child/adult): Adult



FRONT



VERSE





BREATHABILITY BEFORE CONDITIONING

NORM: EN 14683:2019

CONDITIONS:

Temperature: 21,5°C
Humidity: 58%RH
Airflow: 8L/min
Number of samples: 5

·

FINAL RESULT (Pa/cm²): 21,4

CONDITIONING

NORM: IEC 60068-2-78:2012

CONDITIONS:

Temperature: 21°CHumidity: 85%RH

• Period of time: 24 hours



BREATHABILITY AFTER CONDITIONING

NORM: EN 14683:2019

CONDITIONS:

Temperature: 23,6°CHumidity: 56,5%RHAirflow: 8L/min

FINAL RESULT (Pa/cm²): 21,1

FILTERING CAPACITY AFTER CONDITIONING

CONDITIONS:

Temperature: 21,2°CHumidity: 59%RHAirflow: 1L/min

• Number of samples: 6

Aerosol Test 1: 0,508 µm - Efficiency 44%
Aerosol Test 2: 1,03 µm - Efficiency 72%
Aerosol Test 3: 3,007 µm - Efficiency 90%

Aerosol concentration: 2 mg/m³
Uncertainty of measurement: 9%

BREATHABILITY AFTER 10 WASHES

NORM: EN 14683:2019

CONDITIONS:

Temperature: 20,3°CHumidity:65%RHAirflow: 8L/min

FINAL RESULT (Pa/cm²): 21,7

RESPIRABILITY AFTER 4H USAGE SIMULATION

NORM: EN 14683:2019

CONDITIONS:

Temperature: 21,1°CHumidity: 58,5%RHAirflow: 8L/min

FINAL RESULT (Pa/cm²): 22,2





HOUSEHOLD WASHING

CONDITIONS:

• Washing machine: TYPE 1

• Temperature: 60°C

• Drying method: Suspension

Detergent: RegularNumber of cycles: 10

FILTRATION CAPACITY AFTER 10 WASHES

CONDITIONS:

Temperature: 23,2°CHumidity: 57%RH

• Airflow: 1L/min

• Number of samples: 6

 \bullet Aerosol Test 1: 0,508 μm - $\,$ Efficiency 28%

 \bullet Aerosol Test 2: 1,03 μm - Efficiency 54%

 \bullet Aerosol Test 3: 3,007 μm - Efficiency 90%

• Aerosol concentration: 2 mg/m³

• Uncertainty of measurement: 9%



CONSERVATION AND CLEANING

Maximum number of wash cycles in which mask protection performance is guaranteed: 10

Masks should be washed using a normal, complete wash cycle at 60°C with detergent after each use.

The user will need to ensure that the mask is properly dried before use.

USER INSTRUCTIONS

This mask should be used as a complement to the recommended protection and hygiene measures and the rules of social distancing, which are fundamental for the control of COVID-19.

For more information, see https://covid19.min-saude.pt

The reusable mask should be used correctly.

The following are recommended instructions for the correct use of the mask, in accordance with the DGS Guideline no. 019/2020 of 03/04/2020:

- a) Hygienise your hands with soap and water or an alcohol-based solution before putting the mask on;
- b) Place the mask with the inner face facing the face, and the outer face facing out;
- c) Fit the rigid end of the mask to your nose, and cover your mouth, nose and chin with the mask, making sure there are no gaps between the face and mask;
- d) Do not touch the mask while it is in use; if this happens, the hands must be automatically washed;
- e) It is recommended to use the mask for a maximum of 4 to 6 hours per day and to wash it before wearing it again.





WWW.SAFEANDCARE.PT

geral@safeandcare.pt

Rua do Parque Industrial n°366 4830-103 Campos PVL PORTUGAL

T: (351) 253 639 280

FAX: (351) 253 632 600